## CLAIMS:

1. A topical pharmaceutical composition comprising as the active agent a compound of formula  ${\tt I}$ 

$$CH_{2} \longrightarrow CH_{2} \longrightarrow CH_{2}$$

$$CH_{2} \longrightarrow CH_{2}$$

$$C = C \longrightarrow C$$

$$C = C \longrightarrow C$$

$$C = C \longrightarrow C$$

and a lower alkanol.

- 2. A composition according to claim 1 containing water.
- 3. A composition according to claim 2 containing from 50 to 85 % of water.
- 4. A composition according to claim 1 containing from 5 to 35 % of a lower alkanol.
- 5. A composition according to claim 4 wherein the alkanol is ethanol.
- 6. A composition according to claim 1 which is substantially free of fatty material.
- 7. A composition claim 1 containing a surfactant being non-anionic.
- 8. A composition claim 1 for the treatment of fungal infections wherein the active agent is the compound of formula I as defined in claim 1 in free base form or in acid addition salt form, together with a solubilizing agent and excipients as appropriate.

- 9. A composition according to claim 8 which is a spray, a gel or a fluid gel.
- 10. A composition according to claim 8 wherein the solubilizing agent is a polyoxyethylene fatty alcohol ether.
- 11. A composition according to claim 8 or 10, wherein the ratio between the compound of formula I and the solubilizing agent is from about 1:0.5 to about 1:15.
  - 12. A composition according to claim 1 wherein the active agent is the compound of formula I as defined in claim 1 in free base form or in acid addition salt form, together with an oil phase and further excipients as appropriate.
  - 13. A composition according to claim 1 containing isopropyl myristate as an oil phase.

14. A composition according to claim 12 or 13; wherein the ratio between the compound of formula I and the oil phase is from about 1:5 to about 1:40 on a w/w basis.

- 15. A composition according to claim 1 wherein the compound of formula I is present from about 0.1% to about 5% of the total weight of the composition on a w/w basis.
- 16. A process for the preparation of a topical pharmaceutical composition according to claim 1 comprising working up a compound of formula I as defined in claim 1 together with a lower alkanol and adding further excipients as appropriate.
- 17. A method for the treatment of fungal infections comprising administering a pharmaceutically effective amount of a composition according to claim 1 to a patient in need of such treatment.